DROP FORGED TOOLS

HAMMERS
HEDGE AND
GARDEN SHEARS
TINNERS' SNIPS
WRENCHES
WRENCH SETS



NAIL PULLERS
FENCING TOOLS
PLIERS
PRUNING SHEARS
PIPE WRENCHES

MADE IN CANADA





WARRANTY

Every tool bearing the ETF name is made in our plant in St. Catharines, Ontario, Canada, and is Fully Warranted against defects in workmanship and material.

PLEASE ORDER FROM YOUR JOBBER

mark is your Guarantee of Dependable Tools

TOOLS LTD. ST. CATHARINES, ONT.

EF

Drop Forged TOOLS

Hammers	1-8
Pipe Wrenches	9
Tinners' Snips	11
Fence Tool	13
Wire Tightener and Fence Plier	15
Pruning Shears and Florists' Snips	17
Hedge and Garden Shears	19
Pliers	21-26
Engineers' Wrenches	27
Wrench Sets	29
Nail Puller	31
Miscellaneous Tools	33

ETF TOOLS LIMITED

ST. CATHARINES, ONT.

THE

"OCTAGON" LINE

No. 499

UNSURPASSED

DESIGN - BALANCE - MATERIAL - SALES APPEAL



No. 499—Octagon Poll Deluxe Chrome Plated, 1 lb. Head drop forged from alloy steel. First grade carved white hickory handle from selected stock. Handle 13½" long, finished in clear lacquer, double wedged in both iron and wood. Packed six to a box.

No. 99—ETF Brand— l lb. Deluxe fully polished head, with black trim under claw. First grade carved white hickory handle from selected stock, 13½" long, clear lacquer finish, with distinctive black grip. Double wedged in both iron and wood. Packed six to a box.

No. 199—Bulldog Brand—I lb. Best quality drop forged tool steel head brightly polished with red trim on poll and under claw. White hickory handles 131/2" long with attractive red grip. Double wedged head. Packed six to a box.

No. 699—Canadian Brand—I lb. Good quality drop forged head trimmed in green. Lacquered 13½" hickory handles with green grip. Iron wedged. Packed six to a box.

PLEASE ORDER FROM YOUR JOBBER

mark is your Guarantee of Dependable Tools ETF TOOLS LTD. ST. CATHARINES, ONT.

PACKING SPECIFICATIONS FOR OCTAGON LINE CLAW HAMMERS

Nos. 499, 99, 199, 699
Packed 6 in a box—6 boxes in a carton
Weight per box 9 lbs.—per carton 55 lbs.

EXPORT

Packed 6 in a box—12 boxes in a case
Weight 128 lbs. Content 3.65 cu. ft. Lined with corrugated moisture proof paper
heavily bound with steel strapping.

Four Famous Brands

Adze-Eye CLAW HAMMERS



No. 21—1 lb.— $13\frac{1}{2}$ " handle—six to a box



BULLDOG BRAND—No. 100 "Ripping or Box Opening". A fine tool, fully polished — drop forged from selected steel. White hickory handle with red grip. Double wedged.

No. 101 "ETF"—1 lb.—13½"—six to α box

No. 100 "BULLDOG"—1 lb.— $13\frac{1}{2}$ "—six to α box

No. 106 "CANADIAN"—1 lb. — $13\frac{1}{2}$ " — six to α



claw bright. Stained handle. A claw hammer at a price.

No. 92—1 lb.—13½" handle—six to α box

ETF BRAND — "Bell Face Model"—Deluxe polish, black under claw. Drop forged from alloy steel, clear hickory handles — clear lacquer finish. Double wedged in iron and wood. Preferred by master carpenters.

No. 2—1 lb.— $13\frac{1}{2}$ " handle—six to a box No. 2C—13 oz.— $12\frac{1}{2}$ " handle—six to a box



BRAND—"Bell Face Mode!"

—Best quality drop forged highly polished steel head with red trim. Heat treated in electrically controlled furnaces. White hickory handle with red grip. Iron wedged. A medium priced quality hammer for home or shop.

No. 22—1 lb.—13½" handle—six to α box
No. 22C—13 oz.—12½" handle—six to α box



No. 62—1 lb.— $13\frac{1}{2}$ " handle—six to a box No. 62C—13 oz.— $12\frac{1}{2}$ " handle—six to a box

PLAIN FACE MODELS

ETF Brand	Bulldog Brand	Canadian Brand	
No. 1	No. 21	No. 61	l lb.— $13\frac{1}{2}$ "—Six to a box.
No. 1C	No. 21C	No. 61C	13 oz.— $12\frac{1}{2}$ "—Six to α box.
No. 1B	No. 21B	No. 61B	$1\frac{1}{4}$ lb.— $13\frac{1}{2}$ "—Six to a box.
No. 1A	No. 21A	No. 61A	$1\frac{1}{2}$ lb.— $13\frac{1}{2}$ "—Six to a box.
	D.F.S. Brand-No.	91—1 lb.—13½"—	Six to a box.



PACKING SPECIFICATIONS FOR ADZE EYE CLAW HAMMERS (All Brands)

13 oz.	$\frac{1}{2}$ doz. box weight $7\frac{1}{2}$ lbs.; 6 boxes carton, weight 47 lbs.
1 lb.	1/2 doz. box weight 9 lbs.; 6 boxes carton, weight 55 lbs.
1 1/4 lbs.	1/2 doz. box weight 11 lbs.; 6 boxes carton, weight 67 lbs.
1 ½ lbs.	1/2 doz. box weight 13 1/2 lbs.; 4 boxes carton, weight 55 lbs.
	EXPORT
13 oz.	12 boxes (6 doz.) case weight 115 lbs., content 3.65 cu. ft.
1 lb.	12 boxes (6 doz.) case weight 128 lbs., content 3.65 cu. ft.
1 1/4 lb.	12 boxes (6 doz.) case weight 140 lbs., content 3.65 cu. ft.
1 ½ lb.	8 boxes (4 doz.) case weight 128 lbs., content 3.65 cu. ft.


Machinis

Made to satisfy YOU and your CUSTOMER, too



Drop forged and hardened head—green with polished face and pein. Sound hickory handle with green grip. Iron wedged. A good service tool at a low price.

The high quality and proven dependability of these famous Hammer Brands is known to users from coast to coast. For fast, profitable turnover display them prominently.



Alloy steel — full polished with black neck—second growth all white hickory handle finished in clear lacquer. Double wedged in iron and wood. A first quality tool recommended for mechanics and sheet metal workers.



Best quality tool steel head, full polished with red neck. Clear lacquered white hickory handle with red grip. An attractive value for everyone.

BAI	L PE	IN HA	MMERS	ALL	GRADE	S		
	*	*		*	*	*		
Weight of head Handle ins			12 oz. 13		$1\frac{1}{2}$ lb. $15\frac{1}{2}$	2 lb. 15 ³ / ₄	$2\frac{1}{2}$ lb. $17\frac{1}{4}$	3 lb. $17\frac{1}{2}$
Box Pack		6	6	6	6	6	4	4
Handle * Available weights in Bulldog				$13\frac{1}{2}$	$15\frac{1}{2}$	$15\frac{3}{4}$		



Good quality forged steel, head finished in green.

Hickory handle with green grip. No. 10A-3 lb. $-17\frac{1}{2}$ " handle—four to a box No. $10B-2\frac{1}{2}$ lb.-17" handle—four to a box No. 10C-2 lb. $-15\frac{3}{4}$ " handle—four to a box



PACKING SPECIFICATIONS

FOR

MACHINISTS' HAMMERS (All Brands)

4 oz.	2	doz.	box	weight 10½ lbs.; 6 boxes carton, weight 64 lbs.
8 oz.	1/2	doz.	box	weight 5 1/4 lbs.; 6 boxes carton, weight 32 lbs.
12 oz.	1/2	doz.	box	weight 6 ¾ lbs.; 6 boxes carton, weight 41 lbs.
1 lb.	1/2	doz.	box	weight 9 lbs.; 6 boxes carton, weight 55 lbs.
1 ½ lbs.	1/2	doz.	box	weight 12½ lbs.; 4 boxes carton, weight 50 lbs.
2 lb.	1/2	doz.	box	weight 16 lbs.; 4 boxes carton, weight 65 lbs.
2 ½ lbs.	1/3	doz.	box	weight 13½ lbs.; 3 boxes carton, weight 41 lbs.
3 lb.	1/3	doz.	box	weight 15 ½ lbs.; 3 boxes carton, weight 47 lbs.

EXPORT

Packed ½ doz. box, 12 boxes (6 doz.) case.

Cases lined with corrugated moisture proof paper. Steel strapped.

Weight per case, approximately:

4 oz.	24 doz. case
8 oz.	6 doz. case
12 oz.	6 doz. case
1 lb.	6 doz. case
1 ½ lb.	6 doz. case
2 lbs.	6 doz. case
2 1/2 lbs.	4 doz. case
3 lbs.	4 doz. case

BLACKSMITHS' HAMMERS CANADIAN BRAND

No. 10A

1/3 doz. box, weight 13 lbs.; 3 boxes carton, weight 40 lbs.

No. 10B

1/3 doz. box, weight $10 \frac{1}{2}$ lbs.; 3 boxes carton, weight 35 lbs.

No. 10C

1/2 doz. box, weight 8 1/2 lbs.; 3 boxes carton, weight 27 lbs.


EXPORT

Packed 1/3 doz. box, 12 boxes (4 doz.) case. Cases lined with corrugated moisture proof paper. Steel strapped. Weight per case approximately:
No. 10A—(48 pcs.) 230 lbs.—3.65 cu. ft.
No. 10B—(48 pcs.)
No. 10C—(48 pcs.) 190 lbs.—3.65 cu. ft.

ETA Tools Ltd. Dependable Tools Attract Good Customers

SPECIAL TRADES'

"ETF Brand" Drop forged from steel specially selected for exacting service conditions. Lacquered first quality hickory handles. Fully polished head wedged in iron and wood. A first class brand for first class tradesmen.



No. 9—13 oz.— $12\frac{1}{4}$ " handle—six to a box.



No. $161-1\frac{1}{2}$ lb. $-13\frac{1}{2}$ " handle—six to a box. Also available in Bulldog and Canadian Brand.


No. 261—Good polish, red trim on head and handle.

No. 661—Serviceable polish, green trim on head and handle.


To the man who KNOWS . they sell on sight!

RIVETTING HAMMERS

No. 15C-15 oz.-13" handle-six to a box. No. 15F— 7 oz.—12" handle—six to a box. No. 15G— 4 oz.— $10\frac{1}{2}$ " handle—twelve to a box.



No. 17A-16 oz.-13" handle-six to a box. No. 17B-12 oz.-121/2" handle-six to a box.



No. 192—1½ lb.—13¼"—individually packed.

Also available in Bulldog and Canadian Brand.

No. 292—Good polish, red trim on head and handle.

No. 692—Serviceable polish, green trim on head and handle.

Make FRIENDS of the men who USE the tools you SELL ... Stock ETF Products

PLEASE ORDER FROM YOUR JOBBER

mark is your Guarantee of Dependable Tools ETF TOOLS LTD. ST. CATHARINES, ONT.

PACKING SPECIFICATIONS FOR SPECIAL TRADE HAMMERS

No. 15C
½ doz. box, weight 7 lbs.; 6 boxes carton, weight 43 lbs.

No. 15F
½ doz. box, weight 3½ lbs.; 6 boxes carton, weight 22 lbs.

No. 15G
1 doz. box, weight 3½ lbs.; 6 boxes carton, weight 22 lbs.

No. 17A
½ doz. box, weight 9 lbs.; 6 boxes carton, weight 55 lbs.

No. 17B
½ doz. box, weight 5 lbs.; 6 boxes carton, weight 30 lbs.

No. 9
½ doz. box, weight 5 lbs.; 6 boxes carton, weight 30 lbs.

No. 161, 261, 661
Individually boxed, weight 1½ lbs.

EXPORT

No. 192, 292, 692

Individually boxed, weight 1 1/2 lbs.


Packed $\frac{1}{2}$ doz. box, 12 boxes (6 doz.) case. Cases lined with corrugated moisture proof paper. Steel strapped. Weight per case approximately:

No. 15C	135 lbs.—3.65 cu. ft.
No. 15F	60 lbs.—3.65 cu. ft.
No. 15G (12 doz.)	65 lbs.—3.65 cu. ft.
No. 17A	140 lbs.—3.65 cu. ft.
No. 17 B	112 lbs.—3.65 cu. ft.
No. 9	118 lbs.—3.65 cu. ft.
No. 161, 261, 661	180 lbs.—3.65 cu. ft.
No. 192, 292, 692	180 lbs.—3.65 cu. ft.

A QUALITY TOOL — priced for quick turnover

PIPE WRENCH

Stillson Pattern



DROP FORGED STEEL

Fully warranted as to workmanship and material



Drop Forged from carefully selected tool steel-heat treated in electrically controlled furnaces - polished jaws and Clear lacquer, rustframe. resistant finish with bright red enamelled adjusting nut and handle.

SIZES	FOR PIPE	SPRINGS TO EACH WRENCH
8"	1/8 to 3/4"	1
10"	1/8 to 1"	3
14"	1/4 to 1 1/2"	3
18"	1/4 to 2"	3
24"	1/4 to 21/2"	3
36"	1/4 to 31/2"	1
48"	1 to 5"	1

Be sure and state wrench size when ordering.

PLEASE ORDER FROM YOUR JOBBER



ETF TOOLS LTD. ST. CATHARINES, ONT.

PACKING SPECIFICATIONS FOR STILLSON PATTERN PIPE WRENCHES DOMESTIC AND EXPORT

				Weight	
Size	Packed	Carto	on	Case	Volume
8"	$\frac{1}{2}$ doz. in carton, 6 doz. in case	5	lbs.	70 lbs.—	1.0 cu. ft.
10"	$\frac{1}{2}$ doz. in carton, 6 doz. in case	8.25	5 lbs.	108 lbs.—	1.0 cu. ft.
14"	$\frac{1}{2}$ doz. in carton, 6 doz. in case	17	lbs.	208 lbs.—	1.8 cu. ft.
18"	½ doz. in carton, 6 doz. in case	25	lbs.	310 lbs.—	3.30 cu. ft.
24"	4 doz. in case			375 lbs.—3	3.65 cu, ft.
36"	1 doz. in case			203 lbs.—	2.17 cu. ft.
48"	1/2 doz. in case			175 lbs.—2	2.20 cu. ft.

Export cases lined with corrugated moisture proof paper. Steel strapped.

TINNERS' SNIPS

that will satisfy your most exacting customer


- ► High quality precision ground
- Selective blade hardening
- Individually inspected and tested
- ▶ Unit packaging
- You can offer these snips without reservation to your most exacting customers.

 They are the best.

They'll make

<u>Griends</u> for you

..and <u>Profits</u> too!



PLEASE ORDER FROM YOUR JOBBER

This ETF TOOLS LTD. ST. CATHARINES, ONT.

PACKING SPECIFICATIONS FOR TINNERS' SNIPS

	Individual Weight	Carton Contains	Carton Weight
No. 1507	1/2 lb.	8 doz.	50 lbs.
No. 1510	1 lb.	4 doz.	50 lbs.
No. 1512	1 1/2 lbs.	2 1/2 doz.	46 lbs.
No. 2513	1 ¾ Ibs.	2 1/2 doz.	54 lbs.
No. 2514	2 lbs.	2 ½ doz.	62 lbs.
No. 2500	1 1/4 lbs.	2 ½ doz.	40 lbs.
No. 2501	1 ½ lbs.	2 1/2 doz.	48 lbs.
No. 1707	½ lb.	8 doz.	50 lbs.
No. 1710	1 lb.	4 doz.	50 lbs.
No. 1713	1 ¾ lbs.	2 ½ doz.	54 lbs.
No. 2516	3 ¾ lbs.	1 doz.	50 lbs.

EXPORT

Each size Snip is individually boxed.

6 dozen are packed in a strong wooden case lined with corrugated moisture proof paper and steel strapped.

		Approximate Weight	
No. 1507—6 doz. in	case	48 lbs.—1.0 cu. ft.	
No. 1510—6 doz. in	case	90 lbs.—2.20 cu. ft.	
No. 1512—6 doz. in	case	130 lbs.—4.16 cu. ft.	
No. 2513—6 doz. in	case	150 lbs.—4.16 cu. ft.	
No. 2514—6 doz. in	case	170 lbs.—4.16 cu. ft.	
No. 2500—6 doz. in	case	115 lbs.—4.16 cu. ft.	
No. 2501—6 doz. in	case	135 lbs.—4.16 cu. ft.	
No. 1707—6 doz. in	case	48 lbs.—1.0 cu. ft.	
No. 1710—6 doz. in	case	90 lbs.—2.20 cu. ft.	
No. 1713—6 doz. in	case	150 lbs.—4.16 cu. ft.	
No. 2516—3 doz. in	case	164 lbs.—4.16 cu. ft.	

ETA Tools Ltd. Quality appeal, Eye appeal, Price appeal... that Sells




FENCE TOOL

On The Market!

For all kinds of Fence Posts and Baling – Hay, Rags, Straw, Shavings Wirebound Boxes, Cartons










WIRE SPLICER for splicing and tying wire





TOOLS IN ONE!

No. 3760

There's new quick profits in this all purpose fence tool for hardware and implement dealers. Greatly simplifies one-man fence work. Splices, ties or pulls the wire faster and easier. Does a quick clean job of fastening or pulling staples

on wood posts or lugs on steel posts. Cuts two strands of barbed wire at the same time. Six way utility sells this fence tool on sight. A rugged drop forged steel tool built for dependable and long lasting service. Attractive and practical black wrinkle enamel finish with sides of head polished bright. Priced within range of all. Length 101/4", thickness 1/2", weight 1 lb., 3 oz.



PACKING SPECIFICATIONS FOR FENCE TOOL


No. 3760

Individually boxed—weight 1 1/4 lbs.; 8 doz. case, weight 135 lbs., 1.00 cu. ft.

When packed for export the wooden case has a corrugated moisture proof paper lining and is steel strapped.

SPECIALIZED FOR BETTER SERVICE . . . ETF NO. 3705

Wire Tightener





A durable, easy to use, adjustable wire tightener, ideal for wires on vineyards, fences, clotheslines, etc. Plated for maximum weather resistance. Bulk packed to order. Weight each assembly 13 oz.

Simple Directions

- 1. Drill hole through post large enough for wire.
- 2. Pass wire through hole in post, base plate and hole in end of horizontal tightening bar.
- 3. Pull wire tight against post through assembly, cut off surplus wire at tightening bar and secure.
- 4. Wrap wire around tightening bar by turning clockwise. A short length of pipe makes this easy.
- 5. When tightened, move tightening bar to vertical position and release.
- 6. End of tightening bar now bears against post giving solid, non-slip wire adjustment.

FENCE PLIER No. 3710



A low price fence plier, 9" — Button's Pattern. An ideal plier for fence builders, wire mills and repair men. Black finish — Polished jaws. Packed six to a box, weight 5 lbs.



PACKING SPECIFICATIONS
FOR
WIRE TIGHTENER
AND
FENCE PLIER

No. 3705—Bulk packed to order. Weight 13 oz. each.

No. 3710—1/2 doz. box—weight 5 lbs.

24 doz. case—weight 272 lbs. 1.00 cu. ft.

Export cases are lined with corrugated moisture proof paper and steel strapped.

Pruning Shears FLORISTS' SNIPS



Pruning Shears. ETF Brand. No. 2250 with 22" handles and No. 3050 with 30" handles. Drop forged high carbon steel blades, fully heat treated. Bearing washer beneath bolthead. Double locking device has patented lock nut which will not come loose. High strength aluminum alloy, splinter-proof handles, formed over tang in 50 ton hydraulic press and securely rivetted. Comfortable, non-slip rubber grips. Weight saving of as much as 40% over comparable old style models

resulting in less fatigue and better

pruning. Packed 12 to a carton.

They'll make Friends for you . . . and Profits, too!



No. 1050 — ETF Brand — French Type — 2½" cut — length 8¾". Bright Chrome finish with adjustable lock nut, leather closing strap. Precision built from specially selected tool steel. Light hollow forged handles, volute spring. Individually boxed.



No. 550 — Bulldog Brand — $2\frac{1}{2}$ " cut, length 91/8". Good quality — attractive red wrinkle finish with adjustable lock nut. Carefully ground, flame hardened blades. A rugged service tool. Packed 6 to a box.



No. 560 — Bulldog Brand Florists' Snip— 2" cut — length 7". A fine tool with fully polished blades and attractive red handles, selectively hardened blades. Individually boxed.

PLEASE ORDER FROM YOUR JOBBER



ETF TOOLS LTD. ST. CATHARINES, ONT.

PACKING SPECIFICATIONS

FOR

PRUNING SHEARS

AND

FLORISTS' SNIPS

Domestic and Export Packing Specifications:

No. 1050

Individually boxed—weight 9 oz.; 6 doz. case, weight 55 lbs., 1.00 cu. ft.

No. 550

Half doz. box, 5 1/2 lbs.; 14 doz. case (28 boxes), weight 170 lbs., 1.00 cu. ft.

No. 560

Individually boxed—weight 8 oz.

(Domestic) 8 doz. carton, weight 50 lbs.

(Export) 6 doz. case, weight 48 lbs., 1.00 cu. ft.

No. 2250

(Domestic) weight 2 lbs.; 12 carton, weight 27 lbs.

(Export) 36 case, weight 100 lbs., 4.05 cu. ft.

No. 3050

(Domestic) weight 2 lbs. 8 oz., 12 carton, weight 34 lbs.

(Export) 30 case, weight 95 lbs., 4.05 cu. ft.

Export cases are strong wooden boxes lined with corrugated moisture proof paper and steel strapped.

ETF TOOLS LTD. Quality appeal, Eye appeal, Price appeal . . . that Sells!

WORK-BALANCED


Hedge and Garden Shears



ALUMINUM HANDLES

No. 7AE - Another light weight — work balanced tool. Lawn edger with 7" Blade-36" Aluminum handles, fitted with rubber hand grips. Packed 20 to a carton.

No. 7AL - A tool designed to add pleasure to gardening. tures 36" bright aluminum handles with rubber grips. Stronger and much lighter than wood. forged, heat treated 7" blades. Packed 20 to a carton.



No. 81/2 A—ETF Brand—Heavy pattern 81/2" blades from drop forged tool steel. Serrated blade and notch. 9" Aluminum handles with rubber grips.

LADIES MODEL



No. 6C — 6" Blade — Ladies Model "Canadian" makes a hit with the ladies. Has 6" Hardwood handle fitted with steel ferrule. Pack varies with order.

CANADIAN BRAND



No. 8C - 8" Blade - "Canadian" 9" Varnished Hardwood handle - Steel ferrule. A serviceable tool - packed 30 to a carton. No. 8CN — with notch.

BULLDOG BRAND



No. 8½B — "Bulldog" 8½" blade — 10" clear lacquer hardwood handle with attractive red tip. Drop forged from specially selected steel, hardened and tempered. Handle rivetted through tang. A first class tool. Packed 24 to a carton. No. $8\frac{1}{2}BN$ — with notch.



No. 81/2 BL - "Bulldog" with handles. Packed 15 to a carton.



PACKING SPECIFICATIONS FOR GARDEN SHEARS

No. 7AEWeight each 3 lbs20 to a cartonweight 65 lbs.
No. 7ALWeight each 3 lbs20 to a cartonweight 65 lbs.
No. 7A Weight each 2 lbs40 to a cartonweight 88 lbs.
No. 8 ½ A Weight each 2 lbs. 10 oz 25 to a carton weight 72 lbs.
No. 8 $\frac{1}{2}$ B Weight each 2 lbs. 10 oz 25 to a carton weight 72 lbs.
No. 8 ½ BNWeight each 2 lbs. 8 oz 25 to a cartonweight 71 lbs.
No. 8 ½ BL Weight each 4 lbs. 11 oz 15 to a carton weight 78 lbs.
No. 8C Weight each 2 lbs30 to a carton weight 53 lbs.
No. 8CN Weight each 2 lbs30 to a carton weight 53 lbs.
No. 6C Weight each 1 lb 24 to a carton weight 25 lbs.

EXPORT

No.	7AE	eight	81	lbs.,	4.05	cu. ft	
No.	7AL	eight	81	lbs.,	4.05	cu. ft	
No.	7Aw	eight	130	lbs.,	4.29	cu. ft	
No.	8 ½ A	eight	160	lbs.,	4.29	cu. ft	
No.	8 ½ B	eight	160	lbs.,	4.29	cu. ft	
No.	8 ½ BN	eight	158	lbs.,	4.29	cu. ft	
No.	8 ½ BL	eight	100	lbs.,	4.05	cu. ft	
No.	8C	eight	128	lbs.,	4.29	cu. ft	
No.	8CN	veight	128	lbs.,	4.29	cu. fi	
No.	6C	veight	90	lbs.,	3.30	cu. f	t.

ETF Tools Ltd. Quality appeal, Eye appeal, Price appeal... that Sells

"70" Series **PLIERS**

 A fully warranted line of extra fine quality hand tools. These pliers are drop forged from the best quality steel available. Scientifically heat treated to give the utmost in service under the most exacting conditions. All cutters are hand sharpened and individually tested. All models available with distinctive red, non-slip "Tenite" grips for extra protection and comfort. The "Seventy" series pliers may be offered to your most exacting customers for first class precision jobs. Boxed individually.



No. 78 — 81/2" Heavy Duty Lineman's



No. 78S — Insulated Model



No. 77D — 71/4" Heavy Duty Diagonal

No. 77DS — Insulated Model

"Seventy Series Severe Service"



No. 76LA — $7\frac{1}{4}$ " Extra long nose pliers with side cutter

No. 76L — $7\frac{1}{4}$ " Extra long nose pliers

No. 76LAS — Insulated Model

No. 76LS — Insulated Model



No. 76R — 61/4" Round nose pliers

No. 76RS — Insulated Model

PLEASE ORDER FROM YOUR JOBBER

mark is your Guarantee of Dependable Tools ETF TOOLS LTD. ST. CATHARINES, ONT.

PACKING SPECIFICATIONS FOR SEVENTY SERIES PLIERS

All pliers are individually boxed.

Plier No.	Weight Each		Weight per Case of 6 doz.
No. 78-78S	15 oz.		78 lbs. — 1.00 cu. ft.
No. 77D-77DS	9 oz.		50 lbs. — 1.00 cu. ft.
No. 76LA-76LAS	7 oz.	· i	41 lbs. — 1.00 cu. ft.
No. 76L-76LS	7 oz.		41 lbs. — 1.00 cu. ft.
No. 76R-76RS	6 oz.		38 lbs. — 1.00 cu. ft.

When packed for export the wooden cases are lined with corrugated moisture proof paper and are steel strapped.

Mechanics' and Electricians' PLIERS

A line of fine tools forged from specially selected tool steel and fully heat treated, bright polished heads. All pliers individually tested. Unit packaging. All models available with attractive red insulated handles for added safety.

No. 68



No. 68S



An ideal tool for electrician or linesman. Long wearing side cutters individually tested for maximum service.

No. 68 — 8" Side Cutting No. 67 — 7" Side Cutting

No. 66 — 6" Side Cutting

No. 68S — Insulated model No. 67S — Insulated model

No. 66S — Insulated model

No. 56



No. 56W



Drop forged and fully tempered. Specially designed for close cutting on tough work.

No. 56 — 6" Diagonal Cutting

No. 56W — 6" Diagonal Cutting with wire stripping notch.

No. 56S — Insulated model No. 56WS — Insulated model

A fine needlenose plier with long slender spring — tempered nose. Available with or without sidecutter.



No. 46A — 6" Needlenose with side-

No. 46 — 6" Needlenose

No. 46AS — Insulated model

No. 46S — Insulated model



PACKING SPECIFICATIONS FOR PLIERS DOMESTIC AND EXPORT

All Mechanics' and Electricians' pliers are individually boxed.

		Weight per Case
Plier No.	Weight Each	of 6 doz.
No. 66-66\$	7 oz.	 41 lbs. — 1.00 cu. ft.
No. 67-67S	9 oz.	 50 lbs. — 1.00 cu. ft.
No. 68-68S	14 oz.	 73 lbs. — 1.00 cu. ft.
No. 56-56S	5 oz.	 33 lbs. — 1.00 cu. ft.
No. 56W-56WS	5 oz.	 33 lbs. — 1.00 cu. ft.
No. 46-46\$	$4 \frac{1}{2}$ oz.	 30 lbs. — 1.00 cu. ft.
No. 46A-46AS	4 ½ oz.	 30 lbs. — 1.00 cu. ft.

When packed for export the wooden cases are lined with corrugated moisture proof paper and are steel strapped.

ETA Tools Ltd. Quality appeal, Eye appeal, Price appeal...that Sells

Slip Joint Pliers

A full range of first class slip joint pliers. Drop forged from selected tool steel and fully heat treated. Available in two types of finish-

- (1) Chrome plated with brightly polished sides, knurled handles, individually packed.
- (2) Dull nickel plated, knurled handles, packed six in a box.



Heavy duty slip joint, with a slotted shear type wire cutter. A

rugged tool designed for heavy work.

No. 186—6" Dull Nickel plate.

No. 188—8" Dull Nickel plate.

No. 1186—6" Bright Chrome plate. No. 1188-8" Bright Chrome plate.



A combination slip joint plier with sharp biting teeth, side cutter and screwdriver, all combined in one general purpose plier. A handy tool recommended for farm, home and mechanics' use.

No. $500-6\frac{1}{2}$ " Dull Nickel plate. No. $1500-6\frac{1}{2}$ " Bright Chrome plate.



home, tool box, car or boat.

No. 870—8" Dull Nickel plate. No. 1870—8" Bright Chrome plate.



A thin nose side-cutting plier combining the features of α thin nose with a sturdy hand-sharpened side cutter. A

valued addition to any tool box.

No. 675—6½" Dull Nickel plate.

No. 1675—6½" Bright Chrome plate.



A full range of regular pattern Slip Joint Pliers. For farm, home, mechanics and marine use.

No. 520— 5" Regular—Dull Nickel plate.
No. 620— 6" Regular—Dull Nickel plate.
No. 820— 8" Regular—Dull Nickel plate. No. 1020—10" Regular—Dull Nickel plate.
No. 1520—5" Regular—Bright Chrome plate. No. 1820— 6" Regular—Bright Chrome plate.
No. 1820— 8" Regular—Bright Chrome plate.
No. 2020—10" Regular—Bright Chrome plate.



Two sizes of thin nose pliers and two sizes of thin, 35 degree, bent nose pliers. These pliers will reach the hard-to-get spots on most jobs. Ideal for fine, close work.

No. 660—6" Thin Bent Nose—Dull Nickel plate
No. 670—6" Thin Nose—Dull Nickel plate
No. 861—8" Thin Bent Nose—Dull Nickel plate
No. 871—8" Thin Nose—Dull Nickel plate No. 1660—6" Thin Bent Nose—Bright Chrome plate
No. 1670—6" Thin Nose—Bright Chrome plate No. 1861—8" Thin Bent Nose—Bright Chrome plate No. 1871—8" Thin Nose—Bright Chrome plate



DELUXE RED VINYLITE PLIER ROLL

Four of the most popular chrome pliers in one package. No. 1675, No. 1620, No. 1188, No. 1660. A fast moving kit for mechanic, home owner and hobby-



PACKING SPECIFICATIONS FOR SLIP JOINT PLIERS

DOMESTIC AND EXPORT

Dull Nickel Plated pliers are packed 6 in a box, Chrome Plated pliers are individually boxed, $\frac{1}{2}$ dozen to a carton.


ltem		Weig	ght E	ach	½ dozen Box or carton weight	12 dozen Case Weight
Nos.	186-1186		9	oz.	3 ½ lbs	95 lbs. — 1.00 cu. ft.
Nos.	188-1188	1	0 1/2	oz.	4 1/4 lbs	115 lbs. — 1.80 cu. ft.
Nos.	500-1500		7	oz.	2 3/4 lbs	75 lbs. — 1.00 cu. ft.
Nos.	520-1520		4	oz.	1 ½ lbs	38 lbs. — 1.00 cu. ft.
Nos.	620-1620		6 1/2	oz.	2 ½ lbs	70 lbs. — 1.00 cu. ft.
Nos.	820-1820		9	oz.	3 ½ lbs	100 lbs. — 1.80 cu. ft.
Nos.	1020-2020	1	4	oz.	5 ½ lbs	155 lbs. — 3.30 cu. ft.
Nos.	660-1660		5 ½	oz.	2 1/4 lbs	65 lbs. — 1.00 cu. ft.
Nos.	670-1670		5 ½	oz.	2 1/4 lbs	65 lbs. — 1.00 cu. ft.
Nos.	870-1870		8	oz.	3 1/4 lbs	93 lbs. — 1.80 cu. ft.
Nos.	675-1675		7	oz.	2 ¾ lbs	75 lbs. — 1.00 cu. ft.
Nos.	861-1861		9	oz.	3 ½ lbs	100 lbs. — 1.80 cu. ft.
Nos.	871-1871		9	oz.	3 ½ lbs	100 lbs. — 1.80 cu. ft.

No. 4PR—Weight 2 lbs. each—Packed according to order. When packed for export the wooden cases are ined with corrugated moisture proof paper and are steel strapped.

ngineers' renches

- * Drop Forged
- * Semi-Finished
- * 15° Angle

Milled openings, sizes stamped on heads, fully heat treated, black baked wrinkle enamel finish with heads bright.



- (a) All U.S. Nuts for Bolt Sizes $\frac{1}{8}$ " to $\frac{7}{8}$ ".
- (b) All Hexagon Head Cap Screws $\frac{1}{8}$ " to 1". Diameter screws.
- (c) All S.A.E. Nuts and Cap Screws for Bolt Sizes $\frac{1}{4}$ " to 1".
- (d) All American Standard Regular Nuts and Jam Nuts for Bolt Sizes 1/4" to 7/8".

ENGINEERS' WRENCHES

No.	Openings in In	s Milled ches	For U.S. S	td. Nuts:	For Hex Cap S Diameter	crews	For S.A Nuts and C Size l	Cap Screws	For Am Nuts (Reg. Size I	and Jam	Approx. Length in Inches	Approx. Thickness in Inches
721 21 723 23 725B 25 27 729 29 731 731A 31 33 33C 37 37A 739 39 41 41A	5/16 5/16 3/8 13/32 1/2 1/2 1/2 19/32 5/8 11/16 3/4 25/32 7/8 15/16 1 1/16 1 1/8 1 1/8 1 1/4 1 1/4 1 7/16 1 1/2	3/8 13/32 7/16 1/2 9/16 19/32 11/16 3/4 25/32 13/16 7/8 31/32 1 1 1/4 1 5/16 1 3/8 1 7/16 1 5/8 1 5/8	1/8 1/8 3/16 1/4 1/4 5/16 3/8 - 7/16 1/2 5/8 - 3/4 3/4 7/8	3/16	1/8 1/8 3/16	3/16 1/4 5/16 3/8 — 1/2 9/16 5/8 5/8 5/8 3/4 1 1 1/8 —	1/4 5/16 5/16 5/16 7/16 1/2 1/2 1/2 9/16 5/8 3/4 3/4 1	5/16 3/8 2 1/2 2 9/16 9/16 9/16 - 7/8	3/8 	1/4 5/16 — 7/16 1/2 9/16 9/16 5/8 — 7/8 —	4 1/2 4 1/2 5 5 1/2 5 1/2 6 3/4 8 1/4 9 1/2 9 1/2 9 1/2 11 12 1/4 12 1/4 14 14 16	3/16 3/16 3/16 3/16 1/4 1/4 1/4 9/32 9/32 11/32 11/32 11/32 11/32 11/32 11/32 11/32 11/32 21/32 21/32 21/32

PLEASE ORDER FROM YOUR JOBBER

mark is your Guarantee of Dependable Tools ETF TOOLS LTD. ST. CATHARINES, ONT.

PACKING SPECIFICATIONS FOR ENGINEERS' WRENCHES

No.		ntity in Sox		ight acke	
721	. 1	doz.	 	1	lb.
21	1	doz.	 	1	lb.
723	1	doz.	 	1 1/4	lb.
23	1	doz.	 	1 1/4	lb.
725B	1	doz.	 	2 1/4	lb.
25	1	doz.	 	2 1/4	lb.
27	1	doz.	 	3 1/4	lb.
729	1/2	doz.	 	2 1/4	lb.
29	1/2	doz.	 	2 1/4	lb.
731	1/2	doz.	 	4	lb.
731A	1/2	doz.	 	4	lb.
31	1/2	doz.	 	4	lb.
33	1/4	doz.	 	3	lb.
33C	1/4	doz.	 	3	lb.
37	1/4	doz.	 	5 1/2	lb.
737	1/4	doz.	 	5 ½	lb.
37A	1/4	doz.	 	5 ½	lb.
739	1/4	doz.	 	8 1/2	lb.
39	1/4	doz.	 	8 1/2	lb.
41—Bulk packed, 56 to a carton,	264 11	os.			


⁴¹A—Bulk packed, 56 to a carton, 264 lbs.

Export shipments are packed in wooden cases with corrugated moisture proof paper lining, and steel strapped.

ETA Tools Ltd. Quality appeal, Eye appeal, Price appeal...that Sells

Precision Machined

Wrenc Sets



11:3			n 2000 W	RENCH SI	T	
A PART OF THE PART	No.	Milled Openings	U.S.S. Bolt files	Han. Hd.	S.A.E. Not and Bolt Stare	Extreme Length
2000	2723 2723 2027 2729 2014 2034	\$8 7-15 1-2 9-16 19-32 11-16 1-8 1-4	14 - 38 6-16 - 38	3-16 - 1-4 5-16 - 3-8 1-16 - 1-2	5-16 — 1-4 5-16 — 3-8 2-16 — 1-2 	14 14 6

No. 2000-6 piece Nickel Plated-Metal Clip-Boxed.

No. 200—6 piece — Natural Finish — Metal Clip — Boxed. Contain wrenches No. 2723, 2725B, 2027, 2729, 2031, 2033C.

No. 2002—6 piece—Small size—Nickel Plated—Metal Clip—Boxed. Contain wrenches No. 2021, 2723, 2725B, 2027, 2729, 2031.

No. 2001—5 piece—Small size—Nickel Plated—Metal Clip— Boxed. Contain wrenches No. 2021, 2723, 2725B, 2027, 2729.



No. 2000R GREEN VINYLITE WRENCH ROLL

Smartly finished—a fast selling item. Contains wrenches No. 2723, 2725B, 2027, 2729, 2031, 2033C-Nickel Plate Finish.

NO. 3000 **SERIES**

Highly polished ends finished in bright Chrome Plate, Drop forged from selected tool steel.

No. 3000R DELUXE RED VINYLITE WRENCH ROLL



An extra fine wrench set, thin and strong. Hangs up or rolls up. They sell themselves. Contains wrenches No. 3723, 3725B, 3027, 3729, 3031, 3033C.

Wrench No.		Openings Milled	For U.S. Std. Size Bolt	For Hex. Cap Size Bolt	For S.A.E. Size Bolt	Approx. Length Ins.	Approx. Thickness Ins.	Wrenc	h No.
2021	3021	5/16-13/32	1/8 - 3/16	1/8 -		4	5/32	3021	2021
2723	3723	3/8 - 7/16		3/16- 1/4	1/4	4-1/2	3/16	3723	2723
2725B	3725B	1/2 - 9/16	1/4 -	5/16- 3/8	5/16- 3/8	5-1/4	3/16	3725B	2725B
2027	3027	19/32-11/16	5/16- 3/8			5-7/8	7/32	3027	2027
2729	3729	5/8 - 3/4		7/16- 1/2	7/16- 1/2	7	1/4	3729	2729
2031	3031	25/32- 7/8	7/16- 1/2	- 5/8	- 9/16	7-3/4	5/16	3031	2031
2033C	3033C	15/16-1		- 3/4	5/8 -11/16	9	3/8	3033C	2033C




PACKING SPECIFICATIONS FOR WRENCH SETS

All Wrench Sets are individually boxed.										
All Wielich Sels are marriadany boxea.		Weight per Case								
No.	Weight Each	of 100 Sets								
2000	2 ½ lbs.	250 lbs.—4.16 cu. ft.								
200	2 1/2 lbs.	250 lbs.—4.16 cu. ft.								
2002	1 ½ lbs.	165 lbs.—3.65 cu. ft.								
2001 (144 sets)	1 lb.	164 lbs.—3.30 cu. ft.								
2000R (50 sets)	2 1/4 lbs.	125 lbs.—1.80 cu. ft.								
3000R (50 sets)	2 1/4 lbs.	125 lbs.—1.80 cu. ft.								
INDIVIDUAL WRENCHES										
No.		Weight Each								
2021 3021		1½ oz.								
2723 3723		1 ½ oz.								
2725B 3725B		2 ½ oz.								
2027 3027		4 oz.								
2729 3729		5 oz.								
2031 3031		8 ½ oz.								
2033C 3033C		12 oz.								
When packed for export the cases are lined	with corruga	ted moisture proof paper								

When packed for export the cases are lined with corrugated moisture proof paper, and steel strapped.

GRIPS TIGHT-SPEEDS WORK NO. 3775 Nail Puller

GETS THE NAIL EVERY TIME



- 1. Rugged Malleable Iron Ram.
- anced oval grip.

2. Comfortable work-bal-

- 3. Ram finished in bright red baked enamel with black grip.
- 5. Ram bar drop forged from best quality tool steel-heat treatednatural finish.
- 7. Accurately ground claws. Heat treated for long rugged service.

- 4. Full size hand guard.
- 6. Machined box joint and pivot for accurate alignment and balanced bearing.
- 8. Lever bar drop forged from selected tool steel — heat treated — brightly polished sides.

WEIGHT: 3 3/4 lbs. NO. 3775

LENGTH: 171/2 Inches

PACK: Box of 8. Case of 48.

PLEASE ORDER FROM YOUR JOBBER



mark is your Guarantee of Dependable Tools

ETF TOOLS LTD. ST. CATHARINES, ONT.

PACKING SPECIFICATIONS FOR NAIL PULLER

No. 3775

Weight each 3 1/4 lbs., 8 a box; 48 a case, 200 lbs., 3.30 cu. ft.

Export cases are strong wooden boxes, lined with corrugated moisture proof paper and steel strapped.

Automobile Kit Tools

A proven line of profit-makers Sell them singly or in a kit



Drop forged engineers' wrenches properly tempered—natural finish.

No.	Opening	Length	Thickness
725B	1/2 x 9/16	5 1/4	3/16
27	19/32 x 11/16	57/8	7/32



Rugged tire iron—18" long in $\frac{5}{8}$ " round steel—one end spooned, the other α thin tapered point. Nickel plate finish.



Handy tire spoon. Makes tire changing easy. $12^{\prime\prime}$ long in $9/16^{\prime\prime}$ round steel. Smooth spoon shaped end. Nickel plate finish.




Adjustable auto wrenches in natural finish. Drop forged bar, malleable jaw.

No. 410-9"

No. 420-11"





TOOL KITS

Kits supplied in cotton kit bag $16'' \times 4\frac{1}{2}''$ with draw string.

4 pc. Kit—No. 410, 312, 600, 994.

5 pc. Kit—No. 410, 312, 600, 994, 725B.

6 pc. Kit—No. 410, 312, 600, 994, 725B, 27.



Drop forged slip joint pliers, properly tempered, natural finish.

No. 600-6"

No. 800-8"

PLEASE ORDER FROM YOUR JOBBER

This ETF TOOLS LTD. ST. CATHARINES, ONT.

33

PACKING SPECIFICATIONS FOR AUTOMOBILE KIT TOOLS

The following tools are packed in bulk.

Export cases are lined with corrugated moisture proof paper, and steel strapped.

No. Weight	Each
600 7	oz.
800 9	oz.
410 12	oz.
420 19	oz.
312 12	oz.
316 16	oz.
994 4	oz.
725B 3	oz.
27 3 1/2	oz.
4 piece Kit 2 1/4	lbs.
5 piece Kit 2 ½	lbs.
6 piece Kit 2 3/4	lbs.



(EIF)